

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing Of Claims**

1. (Currently Amended) A method of using a number of a plurality of cryptographic keys in a display device, ~~comprising:~~  
~~in a display device~~ having a printed circuit board (PCB) and a master block, comprising:  
providing a key providing the number of the plurality of keys to the PCB by the master block;  
~~selecting one of a number of encryption protocols available to the PCB;~~  
selecting one of a number of available encryption protocols for each of the  
provided keys;  
~~encrypting the key based upon the selected encryption protocols;~~  
encrypting each of the provided keys based upon a particular one of the selected  
encryption protocols;  
storing the encrypted keys in a non-volatile memory by the PCB;  
decrypting the stored encrypted key, as needed, by the PCB based upon the selected encryption protocol.
2. (Cancelled)
3. (Cancelled)
4. (Currently Amended) The method as recited in claim 1 ~~claim 3~~, further comprising:  
storing the encrypted keys in the non-volatile memory.
5. (Original) The method as recited in claim 4, further comprising:

decrypting selected ones of the stored encrypted keys, as needed.

6. (Currently Amended) The method as recited in claim 1 ~~claim 2~~, wherein the plurality of keys includes a decryption key and an authentication key.

7. (Original) The method as recited in claim 6, further comprising:  
receiving a cryptography related command.

8. (Original) The method as recited in claim 7 wherein the cryptography command includes an authentication request and a number of associated authentication request parameters.

9. (Original) The method as recited in claim 8, wherein the authentication request is an HDCP authentication request.

10. (Original) The method as recited in claim 8, further comprising:  
retrieving an encrypted authentication key from the non volatile memory corresponding to the authentication request; and  
decrypting the authentication request based upon a corresponding decryption protocol.

11. (Original) The method as recited in claim 10, further comprising:  
responding to the authentication request based on the decrypted authentication request.

12. (Currently Amended) Computer program product for using a cryptographic key in a display device, ~~comprising:~~

~~in a display device~~ having a printed circuit board (PCB) and a master block, comprising:  
computer code for providing a key to the PCB by the master block;

computer code for selecting one of a number of encryption protocols available to the PCB;

computer code for encrypting the key based upon the selected encryption protocols;

computer code for storing the encrypted key in a non-volatile memory by the PCB;

computer code for decrypting the stored encrypted key, as needed, by the PCB based upon the selected encryption protocol; and

computer readable medium for storing the computer code.

13. (Original) Computer program product as recited in claim 12, wherein the key is one of a plurality of keys and further comprising:

computer code for providing a number of the plurality of keys.

14. (Original) Computer program product as recited in claim 13, further comprising:

computer code for selecting one of the number of available encryption protocols for each of the provided keys; and

computer code for encrypting each of the provided keys based upon a particular one of the selected encryption protocols.

15. (Original) Computer program product as recited in claim 14, further comprising:

computer code for storing the encrypted keys in the non-volatile memory.

16. (Original) Computer program product as recited in claim 15, further comprising:

computer code for decrypting selected ones of the stored encrypted keys, as needed.

17. (Original) Computer program product as recited in claim 13, wherein the plurality of keys includes a decryption key and an authentication key.

18. (Original) Computer program product as recited in claim 17, further comprising:

computer code for receiving a cryptography related command.

19. (Original) Computer program product as recited in claim 18 wherein the cryptography command includes an authentication request and a number of associated authentication request parameters.

20. (Original) Computer program product as recited in claim 19, wherein the authentication request is an HDCP authentication request.

21. (Original) Computer program product as recited in claim 19, further comprising:  
computer code for retrieving an encrypted authentication key from the non volatile memory corresponding to the authentication request; and  
computer code for decrypting the authentication request based upon a corresponding decryption protocol.

22. (Original) Computer program product as recited in claim 21, further comprising:  
computer code for responding to the authentication request based on the decrypted authentication request.